

ECS Configuration Change Request

Page 1 of 3 Page(s)

| | | | | | | |
|---|---------------------------------|---|---|---|--|-----------------------|
| 1. Originator Mary A. Harris | 2. Log Date: 08/21/02 | 3. CCR #: 02-0714 | 4. Rev: — | 5. Tel: 301-925-0607 | 6. Rm #: 3083 | 7. Dept. SE |
| 8. CCR Title: VDB Update: Correct 17 erroneous Criteria Statements in VDB1 Criteria Table | | | | | | |
| 9. Originator Signature/Date Mary Ann Harris /s/ 8/21/02 | | | 10. Class II | 11. Type: CCR | 12. Need Date: 8/28/02 | |
| 13. Office Manager Signature/Date Evelyn N. Nakamura /s/ 8/21/02 | | | 14. Category of Change: VDB | | 15. Priority: (If "Emergency" fill in Block 27). Routine | |
| 16. Documentation/Drawings Impacted: N/A | | | 17. Schedule Impact: N/A | | 18. CI(s) Affected: N/A | |
| 19. Release Affected by this Change: N/A | | 20. Date due to Customer: 8/30/02 | | 21. Estimated Cost: None - Under 100K | | |
| 22. Source Reference: <input type="checkbox"/> NCR (attach) <input type="checkbox"/> Action Item <input type="checkbox"/> Tech Ref. <input type="checkbox"/> GSFC <input type="checkbox"/> Other: N/A | | | | | | |
| 23. Problem: (use additional Sheets if necessary) The VDB1 Criteria Table shows that 18 different Criteria have duplicate Criteria Statements. Seventeen of the 18 Criteria have incorrect statements and must be corrected in the VDB. The attachment lists the 17 Criteria Keys, their erroneous Criteria Statements and the correct Criteria Statements for each. Criteria Key 1 has the correct Statement and will not be modified, however, the following Criteria have the same Statements as Criteria 1 and will be corrected as indicated in the attachment: Criteria Keys 2, 3, 4, 5, 8, 47, 140, 147, 245, 248, 257, 790, 1026, 1284, 1285, 1286, and 1287. | | | | | | |
| 24. Proposed Solution: (use additional sheets if necessary) Implement the proposed solution described in the attachment. | | | | | | |
| 25. Alternate Solution: (use additional sheets if necessary) N/A | | | | | | |
| 26. Consequences if Change(s) are not approved: (use additional sheets if necessary) Erroneous Criteria Statements would appear in the EOC and reconciliation status reports. | | | | | | |
| 27. Justification for Emergency (If Block 15 is "Emergency"): EOC schedule. | | | | | | |
| 28. Site(s) Affected: <input type="checkbox"/> EDF <input checked="" type="checkbox"/> PVC <input type="checkbox"/> VATC <input type="checkbox"/> EDC <input type="checkbox"/> GSFC <input type="checkbox"/> LaRC <input type="checkbox"/> NSIDC <input type="checkbox"/> SMC <input type="checkbox"/> AK <input type="checkbox"/> JPL <input type="checkbox"/> EOC <input type="checkbox"/> IDG Test Cell <input type="checkbox"/> Other | | | | | | |
| 29. Board Comments: | | | 30. Work Assigned To: | | 31. CCR Closed Date: | |
| 32. EDF/SCDV CCB Chair (Sign/Date): A. Abtahi /s/ 8/28/02 | | | Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS ERB | | | |
| 33. M&O CCB Chair (Sign/Date): | | | Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS Fwd/ECS | | | |
| 34. ECS CCB Chair (Sign/Date): | | | Disposition: Approved App/Com. Disapproved Withdraw Fwd/ESDIS Fwd/ESDIS | | | |

ADDITIONAL SHEET

CCR #: 02-0714 **Rev:** — **Originator:** Mary A. Harris

Telephone: 301-925-0607 **Office:** 3083

Title of Change: VDB Update: Correct 17 erroneous Criteria Statements in VDB1 Criteria Table

Modify the VDB to do the following:

1.) Replace the 17 erroneous Criteria Statements in VDB1 Criteria Table with the correct statements provided in the MSEXcel attachment:"Duplicate Criteria Statements"

CM01AJA00 Revised 10/15/01

ECS